

Model #

17C-4-17-50K

Hennessy Series Tube Light



TITAN LED LIGHTING SOLUTIONS

HAND CRAFTED IN AMERICA

17 Watt HEHD 4 Foot Linear Tube Light

High Efficiency - High Definition

Specifications - Light Output

Total Lumen Output:
INITIAL: 3,425 lm
DELIVERED: 2,822 lm
Kelvin Temp: 5000K
CRI: 83
Lighting Angle: 120°

Specifications - Electrical

Wattage: 17 Watts
Voltage: 120 - 277 V A/C
Power Factor: 0.99
THD: 8% @ 120V - 14 % @ 277V
Drive Current: 500mA
Dimming: Yes*
Efficacy: 166 LPW
Max. Ambient Temp: -4° to 139°F / -20 to 59°C

Specifications - Mechanical


LED Count: 99 Mid Power LED's
Lumileds Luxeon Top Tier Diodes
Dimensions: 47-7/8" L x 1-1/16" W x 3/4" H
Net Weight: 0.9 lbs / 0.4 kg
Ultra Durable, Vibration and Shock Resistant
Polycarbonate Clear Lensing
No Noise, No Ultra Violet Emission
No Hazardous Mercury or Toxic Chemicals
Extruded USA 6063 Aluminum Heat Sink
Over 96 Percent Recyclable
Proprietary locking D/C Connector
Proprietary Blue ABS End Caps
Non Conductive Dura Flex ABS Bi-Pins
Replaces 40 Watt Fluorescent Tube Light

Driver SKU

- # 17-1CH-DR500-ND
- # 17-2CH-DR500-DIM
- # 17-3CH-DR500-DIM

*NOTICE: To achieve 0-10 Low Voltage dimming, a Titan LED Dimmable Driver Must Be Used.

Light Spread Information



Maximum Candela = 894.01 Located At Horizontal Angle = 0, Vertical Angle = 0
1 - Vertical Plane Through Horizontal Angles (0 - 180) (Through Max. Cd.)
2 - Horizontal Cone Through Vertical Angle (0) (Through Max. Cd.)



155,000 RATED HOURS

Notice: This lighting device Utilizes an External Driver!

Titan LED Tubes use a specifically engineered external LED driver to operate. Providing clean, surge protected, IC monitored constant current power is crucial to the longevity of the light emitting diodes.

Titan LED wirewhip is (Shown Right) required for driver connection and included with each tube.



Optional Accessory:
Titan LED Mounting Clip
(Shown Right)



Increased Safety

- Ideal for illuminating Retail Space, Offices, Classrooms, Garages, Warehouses, Etc.
- Simple and Secure Installation with industry standard Tube Based Fixtures
- Improved Bright White Color and Increased Light Levels Improve Safety and Visibility

Improved Maintainability

- Lowers Cost of Ownership - Pays Back Purchase Amount with Energy Savings
- Industry Leading Low LED Junction Temperature
- Heavy Gauge 6063 Aluminum Heat Sink
- Environmentally Friendly, No Toxic Gasses, Chemical Free, Over 95% Recyclable
- Typically Reduces Energy Consumption 50 - 70% Over Fluorescent Tubes
- Noise Free, Instant On - Off Operation, No Warm Up Time
- Lumileds Luxeon Top Tier Diodes
- L-70 Rated at Over 155,000 Hours DOE TM-21
- Quickly Go Green and Reduce Carbon Footprint

Power Supply (Driver)

- A Non Dimmable driver that supplies power to this product is Not included

All information and images are the exclusive property of Titan LED Inc. 2019 and may not be used without permission.

All specifications and images are subject to change without notice.